


CUSTOMER	<b>ARCHITECTURAL</b> FENCE & RAILINGS	PART NO.	—	DIE NO.	AS-76141	DASH
DESCRIPTION:	—	TARRIF#	7604.29.10.00	PROPOSAL#	36525-1	
		DATE		SYM		REVISION

DRAWN FROM SAMPLE

EXPOSED SURFACE  
ALL AROUND

**PAINTED  
MATERIAL**

**NO ID MARKS  
REQUESTED**



UNMARKED RADII = RADIUS TO SUIT  
BREAK CORNERS = 0.015 (0.38) R.

<b>ARCHITECTURAL</b> FENCE & RAILINGS	UNSPECIFIED WALL THICKNESS	
	0.070(1.78) ±0.006(0.15)	
EST. AREA 0.406 IN <sup>2</sup> 262 MM <sup>2</sup>	OUT PER. —	IN — MM
EST. WT. 0.487 LBS/FT. 0.725 KG/M	FACTOR 24	
EST. PER. 11.738 IN 298 MM	C.C.D. 4.500 IN 114 MM	
DWN BY Danica	ALLOY 6063-T5	SCALE 1:1   DATE 18,01,2019
BREAK ALL CORNERS .016"R (0.41 mm)R UNLESS OTHERWISE NOTED.		STANDARD ALUMINUM ASSOCIATION TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED